JAN - 2 2001

K003563

510(K) SUMMARY

Submitted For:	NINGBO YUJIANG PLASTIC & RUBBER CO., LTD Economic & Tech, Development Zone G-4 Ningbo, Zhejiang Prov 315803, P.R. China Phone: 5746221404 Fax: 5746221144
Submitted By:	TUCKER & ASSOCIATES Official Correspondent and United States Agent for NINGBO YUJIANG PLASTIC & RUBBER CO., LTD. JANNA P. TUCKER, President-CEO 198 Avenue de la D'emerald Sparks, NV 89434 Phone: 775-342-2612 Fax: 775-342-2613
Date of Submission:	17 November 2000
Device Name:	POWDER-FREE NITRILE EXAM GLOVE, LAVENDER/PURPLE , Class 1 Device, 80LZA
Proprietary Name:	(Multiple Labels) Powder-Free Nitrile Exam Glove, Lavender/Purple
Labels/Labeling:	This device will be marketed to healthcare professionals at Dentist and Doctor Offices, Laboratories, Clinics and Hospitals through its intended use.
Intended Use:	A patient examination glove is a disposable device intended for medical purposes that is worn on the examiner's hand or finger to prevent contamination between patient and examiner.

Substantial Equivalence:

This device is equivalent to those in commercial distribution. They are to be worn as a protective device on the examiner's hand or finger, also protecting the patient.

EXHIBIT M
Page 46 of 47

Both in its intended use and/or physical characteristics, this device is equivalent to devices currently marketed by U.S. companies. It is **substantially equivalent** to the devices manufactured by Ningbo Yujiang (K980677, same glove except for color additive) and Sinochem Ningbo Latex Glove Factory's glove (K980802, except for color additive).

Test Results (Means And/or Results):

This device has met or exceeded the following Standards/Tests:

ASTM D 412
ASTM D 573

ASTM D 3767
ASTM D 5151
ASTM D 5712
ASTM D 6124
ASTM D 3578
ISO 2859
Bio-Compatibility:
- Dermal Sensitization
- Primary Skin Irritation

Conclusion:

This device is substantially equivalent to the devices approved as K980677 and K980802.

EXHIBIT M
Page 47 of 47

(Revised 12-18-00)

DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

JAN - 2 2001

Ning Bo Yujiang Rubber & Plastics Company
C/O Ms. Janna P. Tucker
Official Correspondent
Janna Tucker & Associates
1998 Avenue De La D'emarld
Sparks, Nevada 89434

Re: K003563
Trade Name: Powder-Free Nitrile Examination Glove, Lavender/Purple
Regulatory Class: I
Product Code: LZA
Dated: November 17, 2000
Received: November 20, 2000

Dear Ms. Tucker:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note:

this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4692. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "http://www.fda.gov/cdrh/dsma/dsmamain.html".

Sincerely yours,

Timothy A. Ulatowski
Director
Division of Dental, Infection Control
and General Hospital Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

INDICATIONS FOR USE

APPLICANT: **NINGBO YUJIANG PLASTIC & RUBBER CO., LTD**

510(k) NUMBER: K003563

DEVICE NAME: **POWDER-FREE NITRILE EXAM GLOVE, LAVENDER/PURPLE**

A patient examination glove is a disposable device intended for medical purposes that is worn on the examiner's hand or finger to prevent contamination between patient and examiner.

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use____ OR Over-The-Counter Use____
(Per 21 CFR 801.109)

(Optional Format 1-2-96)

EXHIBIT B
Page 2 of 47

Jane Williams for Chen Lin
(Division Sign-Off)
Division of Dental, Infection Control,
General Hospital Devices
510(k) Number K003563